

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687739260381

अनुबंध तिथि | Generated Date : 12-Jun-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2024/B/4672420](#)

संगठन विवरण Organisation Details	खरीदार विवरण Buyer Details
प्ररूप Type : मंत्रालय Ministry : विभाग Department : संगठन का नाम Organisation Name : कार्यालय क्षेत्र Office Zone:	पद Designation : संपर्क नंबर Contact No. : ईमेल आईडी Email ID : जीएसटीआईएन GSTIN : पता Address :
Central PSU Ministry of Power POWER GRID Corporation OF INDIA Limited POWER GRID Corporation OF INDIA Limited Corporate Office Gurgaon	Manager6 - buycon116.pgcl.tn@gembuyer.in - POWERGRID CORPORATION OF INDIA LIMITED, NR1 RHQ, B-9, Qutab Institutional Area, Katwaria Sarai, New Delhi- 110016, SOUTH DELHI, DELHI-110016, India

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval: वित्तीय अनुमोदन का पदनाम Designation of Financial Approval :	Role: भुगतान का तरीका Payment Mode: पद Designation : ईमेल आईडी Email ID : जीएसटीआईएन GSTIN : पता Address:
No CGM GM	PAO PGCIL Dpty Manager pao1.mop.jaipur@gembuyer.in 08AAACP0252G1ZT POWERGRID CORPORATION OF INDIA, Jaipur Office, B-4/184 Chitrakoot Scheme, Near Pratap Stadium, Vaishali Nagar, Jaipur, Rajasthan-302021, Jaipur, RAJASTHAN-302021, India

विक्रेता विवरण Seller Details
जेम विक्रेता आईडी GeM Seller ID : कंपनी का नाम Company Name : संपर्क नंबर Contact No. : ईमेल आईडी Email ID : पता Address : एमएसएमई सत्यापित MSME verified : एमएसएमई पंजीकरण संख्या MSME Registration number : एमएसई सामाजिक श्रेणी MSE Social Category : एमएसई लिंग श्रेणी MSE Gender : जीएसटीआईएन GSTIN:
0CEC180000093655 Simplex Business Systems 09810831296 rakesh@simplexfurniture.in 70/A-26, Shivaji Marg, Najafgarh Industrial Area, NAJAFGARH ROAD INDL. AREA, NEW DELHI, DELHI-110015, - No UDYAM-DL-11-0024635 General Male 07ABGFS1547M1ZT (R)

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : null

उत्पाद विवरण Product Details (PAC)						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : GODREJ INTERIO Wooden Double Bed Storage Box Opening from Side 2035 2134 300 ब्रांड Brand : GODREJ INTERIO ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status : OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Single / Double Bed - Wooden - With / Without Box (Q3) मॉडल Model: GODREJ INTERIO ASTRA QUEEN BED WITH STORAGE एचएसएन कोड HSN Code: HSN not specified by seller	2	pieces	29,828.2	NA	59,656.4
2	उत्पाद का नाम Product Name : GODREJ INTERIO Revolving Chair with Swivel tilt mechanism ब्रांड Brand : GODREJ INTERIO ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status : Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Revolving Chair (V3) (Q2) मॉडल Model: GODREJ INTERIO ECONOMY EXECUTIVE HIGH BACK एचएसएन कोड HSN Code: HSN not specified by seller	2	pieces	10,513.41	NA	21,026.82
	उत्पाद का नाम Product Name : GODREJ INTERIO Executive Table with One side pedestal unit					

3	ब्रांड Brand : GODREJ INTERIO ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Executive Table (V2) (Q3) मॉडल Model: ADRIA WORK DESK एचएसएन कोड HSN Code: HSN not specified by seller				2	pieces	8,590.95	NA	17,181.9
	कुल ऑर्डर मूल्य Total Order Value (in INR)								97,865.12
	परेषिती विवरण Consignee Detail								
क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By			
1	पद Designation : - ईमेल आईडी Email ID : con709.pgcil.hr@gembuyer.in संपर्क Contact : - जीएसटीआईएन GSTIN : - पता Address : Power Grid Corporation of India Limited Northern Region Transmission System-II, 400/220kV Substation, Jajjhar Road, Daboda, Bahadurgarh. Pin-124507 (Haryana), JHAJJAR, HARYANA-124507, India	GODREJ INTERIO Wooden Double Bed Storage Box Opening from Side 2035 2134 300	-	2	12-Jun-2024	11-Aug-2024			
		GODREJ INTERIO Revolving Chair with Swivel tilt mechanism	-	2	12-Jun-2024	11-Aug-2024			
		GODREJ INTERIO Executive Table with One side pedestal unit	-	2	12-Jun-2024	11-Aug-2024			
Product Specification for GODREJ INTERIO Wooden Double Bed Storage Box Opening from Side 2035 2134 300									
विनिर्देश Specification		उप-विनिर्देश Sub-Spec				मूल्य Value			
MATERIAL		Material of Mattresses Panel				Other wood			
		Material of Bottom Panel of Storage Box				Other wood			
		Material of Front, Back and side Panels				Other wood			
		Material of Headrest				mdf board conforming to is 12406 grade sbg i			
		Material of Legrest				mdf board conforming to is 12406 grade sbg i			
GENERIC		Type of Bed				Wooden Double Bed			
		Material of Bed Frame				Other Wood			
		Headrest provided				Yes			
		Legrest provided				Yes			
		Opening of Storage Box				Storage Box Opening from Side			
		Number of Openings (Nos)				2			
		Hydraulic System provided for Opening				Yes			
		Top Panel have Supports from all the four sides				YES			
		Leg Details				plastic shoe			
		Number of Supports under Bottom Panel of storage box (Nos)				4			
DIMENSIONS		Mattress Fixing Length ±10 (mm)				2035			
		Mattress Fixing Width ±10 (mm)				2134			
		Mattress Panel Height ±5 (mm)				300			
		Depth of Storage Box in mm (±10 mm)				200			
		Thickness of Mattresses Panel ± 1(mm)				12			
		Thickness of Bottom Panel of Storage Box ±1 (mm)				9			
		Thickness of Front, Back and Side Panels ±2 (mm)				18			
		Thickness of material of Headrest ±2 (mm)				18			
		Overall Height of Headrest ±5 (mm)				900			
		Length of Headrest ±10 (mm)				1525			
		Thickness of material of Legrest ±2 (mm)				18			
		Overall Height of Legrest ±5 (mm)				350 mm			

	Overall Length of Legrest ±10 (mm)	1833
	Size OF SUPPORT for Top Panel ±2 (mmxmm)	25 x 25
	Size of Supports on under Bottom Panel of storage box ±2 (mmxmm)	35 x 35
COLOUR & FINISHING	Finish	Laminated
	Colour of Paint	N.A
	Colour of Lamination	NA
	All Visible Wood Parts to be Polished	NA
WARANTEE	WARANTEE PERIOD IN NUMBER OF YEARS	1
Product Specification for GODREJ INTERIO Revolving Chair with Swivel tilt mechanism		
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
GENERAL REQUIREMENT	Tilt mechanism	Swivel tilt mechanism
	Locking mechanism	Upright locking
	Armrest type and arm movement Hint: The buyer may indicate the number of 'Up' and 'Down' arm movements at the time of bid creation	Fixed
	Seat depth adjustment	Fixed type
	Backrest type	Tilting type
	Backrest support type	Contoured Back
	Headrest type	Without headrest
	Revolving mechanism	Designed with 360 degree-revolving type and upright locking
	Height adjustments	Pneumatic
	Additional requirement I	NA
	Additional requirement II	NA
	Additional requirement III	NA
MATERIAL AND MATERIAL THICKNESS	Pedestal Base	Mild Steel
	Twin wheel castor material	Nylon
	Number of twin wheel castor	5 Nos.
	Minimum diameter of twin wheel castor	50 mm
	Armrest Material	PU molded over metal insert
	Seat base material	Hot pressed plywood
	Seat material	PU foam
	Minimum density of foam used in seat	30 kg per cubic meter
	Minimum thickness of PU foam used in seat	30 mm
	Seat upholstery material	100 % Polyester fabric
	Backrest base frame material	Hot pressed plywood
	Padding at backrest	PU foam
	The minimum density of foam used in the backrest	30 kg per cubic meter
	Minimum thickness of PU foam used in backrest	30 mm
	Backrest upholstery material	100 % Polyester fabric
	Upholstery material thickness /fabric substance used in seat /backrest	Minimum 200 GSM (for Woven fabric)
DIMENSION	Minimum seat height from floor surface	400 mm
	Minimum Seat height adjustment	Up to 100 mm
	Minimum width of seat	450 mm
	Minimum depth of seat	450 mm
	Minimum width of backrest	450 mm
	Backrest height	High back (551 and above)
	Minimum thickness of MS Plate Joining the understructure with Seat	2 mm
	Minimum pedestal size (diameter)	650 mm

COLOUR AND FINISH	Upholstered material seat color	Grey
	Upholstered material backrest color	Grey
	Finish of exposed metal parts	Powder coated
WARRANTY	Warranty period in number of years	1-Year
TESTING AND CERTIFICATION	Green Pro Certification issued by CII	No
	BIFMA membership	No
Product Specification for GODREJ INTERIO Executive Table with One side pedestal unit		
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
GENERIC	Structure /Frame of table	Two legs with modesty panel
	Frame type	Freestanding
	Accessories /Optional requirement for table	Beam Support for Table Top
	The type of Storage provided	One side pedestal unit
	Keyboard tray	Not provided
	Footrest	Not Provided
	Mode of supply	Knocked Down To Be Assembled At Consignee Site By The Seller
MATERIAL	Tabletop Material	Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Lates
	Thickness of table top material (± 1 mm)	19 mm
	Gable end material	Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	The thickness of the gable end	19 mm
	Modesty panel material	Three Layer Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	The thickness of the modesty panel material	19 mm
	Gable end and modesty panel plain side	N.A
	Table top edges	Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue
	Leg Material	NA
	The thickness of the Leg material	NA
	Beam Material	NA
	Number of buffers provided	4 Numbers at the bottom
DIMENSION	Width of tabletop ±10 mm	1200 mm
	Depth of table ±10 mm	600 mm
	Height of table ±10 mm	750 mm
	Size (L x W) /diameter of leg material ± 5 mm	NA
EXTENDED RETURN UNIT	ERU unit consists of	No ERU
	ERU top material	NA
	ERU top material thickness ± 2 mm	NA
	Width of ERU unit ± 10 mm	NA
	Depth of ERU unit ± 5 mm	NA
	Height of ERU unit ± 5 mm	NA
	ERU side panel material	NA
	ERU side panel Thickness ± 2 mm	NA
	Number of lockable castors at the bottom	NA
	Size of lockable castors ± 2 mm	NA
	Type of storage lock system	NA
	Drawer /storage shutter pull-up mechanism	Push type

	ERU outer Surface Finish	NA
	ERU shade	NA
PEDESTAL UNIT	Total Number of drawers /storage in Pedestal units	One drawer
	Complete body facia and drawer material in Pedestal Unit	NA
	Thickness of the complete body fascia & drawer material	19 mm
	Material for back panel in pedestal unit	Three layers of Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest
	Back Panel Thickness in Pedestal Unit	NA
	Drawer Bottom Material	Three layers of Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest
	Drawer Bottom Material Thickness	9 mm
	Provision of Castor in Pedestal unit	Without
	Lock provided (for pedestal unit)	NA
	Pedestal handle material	NA
	Pedestal outer finish	NA
	Pedestal shade	NA
	Width of Pedestal unit in mm (±10 mm)	NA
	Depth of pedestal unit ±10mm	NA
	Height of pedestal unit ±5mm	NA
KEYBOARD TRAY	Material of keyboard tray and Right angle L-type supporting bracket	NA
	Material thickness of keyboard tray ±1mm	NA
	Fixing of supporting bracket	NA
	Length of telescopic channel ± 10 mm	NA
	Keyboard height±10mm	NA
	Keyboard front width±10mm	NA
	Keyboard depth±10mm	NA
FOOTREST	Material of footrest	NA
	Material thickness of footrest ±2mm	NA
	Height of footrest ±10mm	NA
	Width of footrest ±10mm	NA
	Depth of footrest ±10mm	NA
COLOUR AND FINISH	Table top finish	Laminate in color with swede finish 0.6-0.8mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on another side
	Tabletop shade	Oak
	Table /ERU /Pedestal Panel Plain Side	NA
WARRANTY	Warranty period	1 Year
CERTIFICATION	Test reports to be furnished to the buyer on demand	Yes
	The product has BIFMA certification	No
	OEM of the offered product is ISO 9001:2015 certified	Yes
	OEM of the offered product is ISO 14001:2015 certified	Yes
	OEM of the offered product is ISO 45001:2 018 certified	Yes
	The product has GREENGUARD certification	No
	The product has Green Pro certification	Yes

1. तक बढ़ाया गया|Extended Upto : 2024-04-04 11:00:00
2. तक बढ़ाया गया|Extended Upto : 2024-04-19 14:00:00
3. तक बढ़ाया गया|Extended Upto : 2024-05-08 15:00:00
4. तक बढ़ाया गया|Extended Upto : 2024-05-21 09:00:00

ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक Advisory Bank :	NA
ईपीबीजी प्रतिशत (%) ePBG Percentage(%):	NA

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2. Buyer Added Bid Specific Terms and Conditions-

2.1 *Generic*

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2.2 *Scope of Supply*:

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.